PRODUCT-DETAILS

MOE T4-T5 48...60 Vdc

MOE T4-T5 48...60 Vdc



General Information

Extended Product Type	MOE T4-T5 48...60 Vdc
Product ID	1SDA054895R1
EAN	8015644560232
Catalog Description	MOE T4-T5 48...60 Vdc
Long Description	MOTOR OPERATOR 48...60V DC T4-T5

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

© 2024 ABB. All rights reserved.

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KT5M7
E-Number (Finland)	3655651
EAN	8015644560232
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	2.2 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	131 mm
Package Level 1 Height	136 mm
Package Level 1 Depth / Length	163 mm
Package Level 1 Gross Weight	2.34 kg
Package Level 1 EAN	8015644560232

Additional Information

Configuration Type	Loose or configurable
Current Type	DC
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Rated Voltage (U_r)	48 ... 60 V DC
Standards	IEC
Suitable For	T4, T5
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0621

Classifications

ETIM 7	EC001030 - Motor operator for power circuit-breaker
ETIM 8	EC001030 - Motor operator for power circuit-breaker
ETIM 9	EC001030 - Motor operator for power circuit-breaker
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370412

© 2024 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T



© 2024 ABB. All rights reserved.