PRODUCT-DETAILS

KIT FCCuAl 2x750kcmilXT6 4pcsUL/CSA AuxV

KIT FCCuAl 2x750kcmilXT6 4pcsUL/CSA AuxV

General Information

Extended Product Type	KIT FCCuAl 2x750kcmilXT6 4pcsUL/CSA AuxV
Product ID	1SDA115969R1
EAN	8056221080828
Catalog Description	KIT FCCuAl 2x750kcmilXT6 4pcsUL/CSA AuxV
Long Description	FRONT TERMINALS FOR CABLES IN COPPER-ALUMINIUM 2x 500-750 kcmil WITH VOLTAGE SOCKET 4pcs XT6 UL/CSA

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental	9AKK108467A6707

© 2024 ABB. All rights reserved.

Information	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KXT6CUAL2X750KCC-4
EAN	8056221080828
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.132 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	145 mm
Package Level 1 Height	30 mm
Package Level 1 Depth / Length	250 mm
Package Level 1 Gross Weight	0.139 kg

Additional Information

Configuration Type	Loose or configurable
Number of Poles	4
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Standards	UL489
Sub-type	XT6
Suitable For	XT6
Suitable for Product Class	SACE Tmax XT
Terminal Connection Type	Front for Copper-Aluminium Cables

Certificates and Declarations

Data Sheet, Technical Information	1SDC210200D0206
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH002012A1804

Classifications

© 2024 ABB. All rights reserved.

ETIM 8	EC002019 - Connection vane/phase spreader
ETIM 9	EC002019 - Connection vane/phase spreader
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371305

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

© 2024 ABB. All rights reserved.