PRODUCT-DETAILS

AT42/M40/CSF90/BLY
SWV.FEM.M40 90D IP66.69/NC42 BK/YW



General Information

Extended Product Type	AT42/M40/CSF90/BLY
Product ID	7TCA296170R0635
EAN	5020963039539
Catalog Description	SWV.FEM.M40 90D IP66.69/NC42 BK/YW
Long Description	Adaptalok ATS, 90 Degree Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 42mm, M40 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread/TPE, Black with Yellow Elastomer

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

Ordering

EAN	5020963039539
UPC	786210283517

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Black/Yellow Elastomer
Material	Polyamide/Nylon 6.6
Size	NC 42mm

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	2 piece
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations

Data Sheet, Technical Information	AT42/M40/CSF90/BLY
Instructions and Manuals	AT42/M40/CSF90/BLY
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.