PRODUCT-DETAILS

# CR-P/M 62CV

## CR-P/M 62CV Pluggable module varistor and LED green, 6-24VAC/DC




### General Information

| | |
|---|---|
| Extended Product Type | CR-P/M 62CV |
| Product ID | 1SVR405655R1000 |
| EAN | 4013614528866 |
| Catalog Description | CR-P/M 62CV Pluggable module varistor and LED green, 6-24VAC/DC |
| Long Description | The CP-P/M 62CV plug-in module is a pluggable funtion module for sockets of the CR-P and CR-M range. This module provides overvoltage protection and a green LED indication. The rated control supply voltage is 6-24 V AC / DC. |

### Ordering

| | |
|---|---|
| EAN | 4013614528866 |
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 85480090 |

### Popular Downloads

| | |
|---|---|
| Data Sheet, Technical Information | 2CDC110004C0210_05 |

© 2024 ABB. All rights reserved.

| | |
|---|---|
| Instructions and Manuals | 2CDC110004C0210_05 |
| CAD Dimensional Drawing | 2CDC001079B0201 |

## Dimensions

| | |
|---|---|
| Product Net Width | 13 mm |
| Product Net Height | 24 mm |
| Product Net Depth / Length | 9 mm |
| Product Net Weight | 0.003 kg |

## Technical

| | |
|---|---|
| Function | Accessory for interface relays CR-M<br>Accessory for interface relays CR-P |
| Sub-Function | Pluggable function module for pcb and miniature relay sockets |
| Sub-Function 2 | Overvoltage protection<br>green LED |
| Rated Control Supply Voltage ($U_S$) | 6 ... 24 V AC/DC |
| Output | none |
| Output Signal | none |
| Standards | CAN/CSA C22.2 No.14<br>IEC/EN 63000<br>IEC/EN 61984<br>UL 508 |

## Material Compliance

| | |
|---|---|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| RoHS Information | 1SVD982020-0001 |
| RoHS Status | Following EU Directive 2011/65/EU |

## Circular Value

| | |
|---|---|
| Environmental Information | 1SAA981009-2401 |

## Certificates and Declarations

| | |
|---|---|
| CSA Certificate | CSA_262671_2785566 |
| cURus Certificate | cURus508_E244328 |
| Declaration of Conformity - CE | 1SVD982020-0001 |
| Declaration of Conformity - UKCA | 1SVD982020-1000 |
| EAC Certificate | EAC_RU_C-DE.ME77.B.00446-19 |

## Container Information

© 2024 ABB. All rights reserved.

| | |
|---|---|
| Package Level 1 Units | bag 10 piece |
| Package Level 1 Width | 130 mm |
| Package Level 1 Depth / Length | 9 mm |
| Package Level 1 Height | 180 mm |
| Package Level 1 Gross Weight | 0.032 kg |
| Package Level 1 EAN | 4013614373930 |

## Classifications

| | |
|---|---|
| Object Classification Code | K |
| ETIM 7 | EC002586 - Accessories for switching relay |
| ETIM 8 | EC002586 - Accessories/spare parts for switching relay |
| ETIM 9 | EC002586 - Accessories/spare parts for switching relay |
| eClass | V11.0 : 27371692 |
| UNSPSC | 39122331 |
| E-Number (Finland) | 2712735 |
| E-Number (Sweden) | 4005391 |

## Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers










© 2024 ABB. All rights reserved.