PRODUCT-DETAILS

GYS1000-E-E

SHRINK-KON REEL 30M GREEN/YELLOW



General Information

Extended Product Type	GYS1000-E-E
Product ID	7TCA017300R0261
EAN	5414363103820
Catalog Description	SHRINK-KON REEL 30M GREEN/YELLOW
Long Description	Flexible Green/Yellow Heat Shrink Tubing 1 Inch, 30M, Shrink Ratio 3:1, Thin Walled, Material - Crosslinked Polyolefin, Item is Silicone, Cadmium and Lead Free, Mini-Reel

Ordering

EAN	5414363103820
UPC	786210799254
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

Dimensions

Product Net Depth / Length	98.4 ft 30 m

© 2024 ABB. All rights reserved.

Container Information

Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	2.6 in 66 mm
Package Level 1 Depth / Length	15.4 in 391 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Green/Yellow
Effective Date	20011213
Flammability Hazard Rating	Flame Retardant
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK108466A3882
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical Information	GYS1000-E-E

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

© 2024 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink



© 2024 ABB. All rights reserved.