PRODUCT-DETAILS

GYS125-E-A

SHRINK-KON BOX 25X1,2M GREEN/YELLO



General Information

Extended Product Type	GYS125-E-A
Product ID	7TCA017300R0262
EAN	5414363103837
Catalog Description	SHRINK-KON BOX 25X1,2M GREEN/YELLO
Long Description	Flexible Green/Yellow Heat Shrink Tubing 1/8 Inch, 1.22m Lengths X 25, Shrink Ratio 3:1, Thin Walled, Material - Crosslinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

E-Number (Finland)	5211259
EAN	5414363103837
UPC	786210503141
Country of Origin	United Kingdom (GB)
Selling Unit of Measure	each

Dimensions

Product Net Depth / Length	4 ft 1.22 m

© 2024 ABB. All rights reserved.

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	4.1 in 104 mm
Package Level 1 Height	4.2 in 107 mm
Package Level 1 Depth / Length	49.3 in 1252 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Green/Yellow
Effective Date	19980621
Flammability Hazard Rating	Flame Retardant
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK108466A3882
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical Information	GYS125-E-A

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

© 2024 ABB. All rights reserved.

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink



© 2024 ABB. All rights reserved.