PRODUCT-DETAILS

NKNZ-M257R/P

FTNG ONLY STR M25 NW17 PA6/BR BLK



General Information

Extended Product Type	NKNZ-M257R/P
Product ID	7TCA292000R0191
EAN	7630030260674
Catalog Description	FTNG ONLY STR M25 NW17 PA6/BR BLK
Long Description	Straight Connector with Strain Relief Without Seal Insert, Halogenfree Polyamide 6, Nickel-Plated Brass Thread, Thread Size M25x1.5, Conduit Size NW 17, Clamping Range 7.0 - 10.5k, IP68 and IP69 Certified, Black

Additional Information

Product Type	Connectors-Straight

Ordering

EAN	7630030260674
UPC	786210061825

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW17 , M25x1.5 Thread

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	150 EA
Package Level 1 Height	219.989 mm 8.661 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	299.999 mm 11.811 in

Certificates and Declarations

Data Sheet, Technical Information	NKNZ-M257R/P
Instructions and Manuals	NKNZ-M257R/P
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.