PRODUCT-DETAILS

NVNZ-M409S/P3-L
FTNG STR M40NW29 PA6/BR 17-20.5 LNG



General Information

Extended Product Type	NVNZ-M409S/P3-L
Product ID	7TAA292150R0768
EAN	7630030254208
Catalog Description	FTNG STR M40NW29 PA6/BR 17-20.5 LNG
Long Description	VNZ Connector Straight, Metric Metal Thread with Strain Relief IP68 - Long Thread M40x1.5, Conduit Size NW 29, Clamping Range 17.0-20.5, with Sealing Insert, Color Black

Additional Information

Application	Use In Railway Vehicle and Heavy Machine Construction and for the Separation of Damp and Dry Areas
Product Type	Fittings for Nylon Flexible Conduits

Ordering

EAN	7630030254208
UPC	786209965004

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Black
Material	Polyamide 6 with Nickel Plated Brass Threads
Size	NW29 , M40x1.5

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	20 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations

Data Sheet, Technical Information	NVNZ-M409S/P3-L
Instructions and Manuals	NVNZ-M409S/P3-L
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121719

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.