PRODUCT-DETAILS

NVWZ-M160S/P2

FTNG 90D M16 NW10 PA6/BR 5-8 BLK



General Information

Extended Product Type	NVWZ-M160S/P2
Product ID	7TAA292150R0894
EAN	7630030252259
Catalog Description	FTNG 90D M16 NW10 PA6/BR 5-8 BLK
Long Description	VWZ Connector 90 Degree Elbow, Metric Metal Thread with Strain Relief IP68 - Tread M16x1.5, Conduit Size NW 10, with Sealing Insert, Range 5.0-8.0, Color Black

Additional Information

Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering

EAN	7630030252259
UPC	786209966391

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Black
Material	High-Grade Formulated Polyamide, Thread Made of Nickel-Plated Brass
Size	M16

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations

Data Sheet, Technical Information	NVWZ-M160S/P2
Instructions and Manuals	NVWZ-M160S/P2
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39131717

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.