PRODUCT-DETAILS

NVWZ-M202S/P3
FTNG 90D M20NW12 PA6/BR 6.5-9.5 BLK



General Information

Extended Product Type	NVWZ-M202S/P3
Product ID	7TAA292150R0898
EAN	7630030252211
Catalog Description	FTNG 90D M20NW12 PA6/BR 6.5-9.5 BLK
Long Description	VWZ Connector 90 Degree Elbow, Metric Metal Thread with Strain Relief IP68 - Tread M20x1.5, Conduit Size NW 12, with Sealing Insert, Range 6.5-9.5, Color Black

Additional Information

Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering

EAN	7630030252211
UPC	786209966438

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Black
Material	High-Grade Formulated Polyamide, Thread Made of Nickel-Plated Brass
Size	M20

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	50 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations

Data Sheet, Technical Information	NVWZ-M202S/P3
Instructions and Manuals	NVWZ-M202S/P3
Declaration of Conformity - CE	9AKK107680A0674

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39131717

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.