PRODUCT-DETAILS

# P9MSMX0N

## P9MSMX0N Selector Switch



### General Information

| | |
|---|---|
| Extended Product Type | P9MSMX0N |
| Product ID | 1SFA184397R9006 |
| EAN | 7320500521687 |
| Catalog Description | P9MSMX0N Selector Switch |
| Long Description | The P9MSMX0N Selector Switch is: Modular metal - Selector Switch with holder - 4-position - Maintained - Short handle - Black - Non-illuminated - Satin Chrome Metal This Selector Switch is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range. |

### Ordering

| | |
|---|---|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 8536501990 |

### Popular Downloads

| | |
|---|---|
| Data Sheet, Technical | 1SFC151007C02__ |

© 2024 ABB. All rights reserved.

| Information | |
|---|---|
| Instructions and Manuals | 1SFC151011M0201 |

## Dimensions

| | |
|---|---|
| Product Net Width | 29.7 mm |
| Product Net Height | 44.5 mm |
| Product Net Depth / Length | 52.2 mm |
| Product Net Weight | 0.073 kg |

## Technical

| | |
|---|---|
| Ambient Air Temperature | Operation -30 ... 70 °C<br>Storage -40 ... +70 °C |
| Color | Black |
| Actuator Type | Short handle |
| Bezel Material | Satin Chrome Metal |
| Illumination | Non-illuminated |
| Function | Maintained |
| Sub-Function | 4-position |
| Sub-Function 2 | CAM X |
| Maintained Positions | A, B, C, D |
| Enclosure Type NEMA | Type1<br>Type12<br>Type13<br>Type3<br>Type3R<br>Type3S<br>Type4<br>Type4X |

## Environmental

| | |
|---|---|
| Degree of Protection | Front IP66 |

## Material Compliance

| | |
|---|---|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Certificates and Declarations

| | |
|---|---|
| BV Certificate | 2CMT2019-005867 |
| CB Certificate | 2CMT2019-005872 |

© 2024 ABB. All rights reserved.

| | |
|---|---|
| CSA Certificate | 2CMT2019-005868 |
| cULus Certificate | 2CMT2019-005868 |
| Declaration of Conformity - CE | 2CMT2019-005862 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate | 2CMT2019-005876 |
| RINA Certificate | 2CMT2019-005866 |
| UL Certificate | 2CMT2019-005868 |

## Container Information

| | |
|---|---|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Width | 41 mm |
| Package Level 1 Depth / Length | 80 mm |
| Package Level 1 Height | 41 mm |
| Package Level 1 Gross Weight | 0.073 kg |
| Package Level 1 EAN | 7320500521687 |

## Classifications

| | |
|---|---|
| ETIM 7 | EC000222 - Front element for selector switch |
| ETIM 8 | EC000222 - Front element for selector switch |
| eClass | V11.0 : 27371213 |
| UNSPSC | 39122217 |
| IDEA Granular Category Code (IGCC) | 5215 >> Selector Switch Complete Assemblies |
| E-Number (Finland) | 2307459 |

## Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M → P9M Selector Switches → P9MS Selector Switches

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.