PRODUCT-DETAILS

PACS20/BL/50M
PA6 STAND.WEIGHT NC20 50MT BLK



General Information

Extended Product Type	PACS20/BL/50M
Product ID	7TCA296000R1972
EAN	5020963013027
Catalog Description	PA6 STAND.WEIGHT NC20 50MT BLK
Long Description	Non-Metallic Standard Weight Flexible Conduit, Nominal Conduit Size 20, Static Bend Radius 40 Millimeters, Coarse Pitch, Low Fire Hazard, Length 50 Meters, Polyamide 6, Black

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Product Type	Standard Weight Conduit with Coarse Pitch

Ordering

EAN	5020963013027
UPC	786210241142

© 2024 ABB. All rights reserved.

Dimensions

Product Net Depth / Length	50 m

Technical

Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	17.32 in 440 mm
Package Level 1 Width	17.32 in 440 mm

Certificates and Declarations

Data Sheet, Technical Information	PACS20/BL/50M
Instructions and Manuals	PACS20/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

© 2024 ABB. All rights reserved.

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



© 2024 ABB. All rights reserved.