PRODUCT-DETAILS

PAFL16/GR/50M

LIGHT WGT GRY NYL COND 50M



General Information

Extended Product Type	PAFL16/GR/50M
Product ID	7TCA296000R2111
EAN	5020963002267
Catalog Description	LIGHT WGT GRY NYL COND 50M
Long Description	Lightweight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.9mm, Static Bend Radius 35mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Grey

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Product Type	Lightweight Conduit with Fine Pitch

Ordering

EAN	5020963002267
UPC	786210268477

© 2024 ABB. All rights reserved.

Dimensions

Product Net Depth / Length	50 m

Technical

Number of Batteries	0
Color	Gray
Material	Polyamide/Nylon 6

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	5.91 in 150 mm
Package Level 1 Depth / Length	16.54 in 420 mm
Package Level 1 Width	16.54 in 420 mm

Certificates and Declarations

Data Sheet, Technical Information	PAFL16/GR/50M
Instructions and Manuals	PAFL16/GR/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

© 2024 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



© 2024 ABB. All rights reserved.