PRODUCT-DETAILS

PBC54/M50/A

NPB M50 IP66.67/ NC54 BRDD NON-MET



Product image not available

General Information

Extended Product Type	PBC54/M50/A
Product ID	7TCA296100R0039
EAN	5020963797828
Catalog Description	NPB M50 IP66.67/ NC54 BRDD NON-MET
Long Description	NPB M50 IP66.67/ NC54 BRDD NON-MET

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

Ordering

EAN	5020963797828
UPC	786210293936

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	1-1/2 Inch

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	2 piece
Package Level 1 Height	11.81 in 300 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations

Data Sheet, Technical Information	PBC54/M50/A
Instructions and Manuals	PBC54/M50/A
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.