PRODUCT-DETAILS

PIG0602-0-B
SHRINK-KON 300M BLACK



General Information

Extended Product Type	PIG0602-0-B
Product ID	7TCA017200R0025
EAN	5414363106012
Catalog Description	SHRINK-KON 300M BLACK
Long Description	Heat Shrink Tubing, Black, 300M Reel, Shrink Ratio 3:1, Expanded Diameter 6.4mm, Thin Walled, CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

EAN	5414363106012
UPC	786210515458
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

Dimensions

Product Net Depth / Length	984.2 ft 300 m

© 2024 ABB. All rights reserved.

Container Information

Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	6.3 in 160 mm
Package Level 1 Depth / Length	15.4 in 391 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Black
Effective Date	19980621
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK107992A8967
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical Information	PIG0602-0-B

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.