PRODUCT-DETAILS

PIG1204-0-B

SHRINK-KON 100M BLACK



General Information

Extended Product Type	PIG1204-0-B
Product ID	7TCA017200R0047
EAN	5414363106258
Catalog Description	SHRINK-KON 100M BLACK
Long Description	Heat Shrink Tubing, Black, 100M Reel, Shrink Ratio 3:1, Expanded Diameter 12.7mm, Thin Walled, CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

EAN	5414363106258
UPC	786210526249
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

Dimensions

Product Net Depth / Length	328.1 ft 100 m

© 2024 ABB. All rights reserved.

Subject to change without notice

Container Information

Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	10.3 in 262 mm
Package Level 1 Depth / Length	15.4 in 391 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Black
Effective Date	19980621
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK107992A8967
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical Information	PIG1204-0-B

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

© 2024 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink



© 2024 ABB. All rights reserved.