PRODUCT-DETAILS

PIG4013-0-E
SHRINK-KON 30M BLACK



General Information

Extended Product Type	PIG4013-0-E
Product ID	7TCA017300R0497
EAN	5414363131274
Catalog Description	SHRINK-KON 30M BLACK
Long Description	Heat Shrink Tubing, Black, 30.0M Mini Reel, Shrink Ratio 3:1, Expanded Diameter 39.0mm, Thin Walled, CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

EAN	5414363131274
UPC	786210937335
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

Dimensions

Product Net Depth / Length	98.4 ft 30 m

© 2024 ABB. All rights reserved.

Container Information

Package Level 1 Units	1 reel
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	1 in 25 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	2 reel
Package Level 2 Width	15.35 in 390 mm
Package Level 2 Height	3.74 in 95 mm
Package Level 2 Depth / Length	15.35 in 390 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Black
Effective Date	20040817
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK107992A8967
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical Information	PIG4013-0-E

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

© 2024 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink



© 2024 ABB. All rights reserved.