



PRODUCT-DETAILS

PKG3208-0-C

SHRINK-KON BOX 5X0,6M BLACK



| General Information   |                                                                                                        |
|-----------------------|--------------------------------------------------------------------------------------------------------|
| Extended Product Type | PKG3208-0-C                                                                                            |
| Product ID            | 7TCA017300R0533                                                                                        |
| EAN                   | 5414363106968                                                                                          |
| Catalog Description   | SHRINK-KON BOX 5X0,6M BLACK                                                                            |
| Long Description      | Flexible for Moist Environments, Heat Shrink Tubing, 32.0mm Expanded Diameter, Black, 0.6M x 5 Lengths |

| Ordering                |               |
|-------------------------|---------------|
| E-Number (Finland)      | 5240614       |
| EAN                     | 5414363106968 |
| UPC                     | 786210527567  |
| Country of Origin       | Germany (DE)  |
| Selling Unit of Measure | each          |

| Dimensions |  |
|------------|--|
|------------|--|

|                     |         |
|---------------------|---------|
| Product Net Depth / | 1.97 ft |
| Length              | 0.6 m   |

Container Information

|                         |         |
|-------------------------|---------|
| Package Level 1 Units   | 5 piece |
| Package Level 1 Width   | 2 in    |
|                         | 51 mm   |
| Package Level 1 Height  | 4 in    |
|                         | 102 mm  |
| Package Level 1 Depth / | 27.6 in |
| Length                  | 701 mm  |

Additional Information

|                     |                                 |
|---------------------|---------------------------------|
| Brand / Label       | Shrink-Kon                      |
| Color               | Black                           |
| Effective Date      | 19980621                        |
| Process Temperature | -67 to +230 °F                  |
| Rating              | -55 to +110 °C                  |
| Product Name        | Plastic conduit                 |
| Product Type        | Flexible Heat Shrinkable Tubing |
| RoHS Date           | 9AKK108466A3884                 |
| Shrink Ratio        | 4:1                             |
| Shrink Temperature  | 203 °F                          |
|                     | 95 °C                           |

Certificates and Declarations

|                                      |             |
|--------------------------------------|-------------|
| Data Sheet, Technical<br>Information | PKG3208-0-C |
|--------------------------------------|-------------|

Classifications

|                                       |                              |
|---------------------------------------|------------------------------|
| ETIM 6                                | EC000217 - Shrink tubing     |
| ETIM 7                                | EC000217 - Shrink tubing     |
| ETIM 8                                | EC000217 - Shrink tubing     |
| UNSPSC                                | 39121723                     |
| WEEE Category                         | Product Not in WEEE Scope    |
| IDEA Granular Category<br>Code (IGCC) | 5073 >> Heat shrinkable tube |

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

