PRODUCT-DETAILS

SP10/9/C

SMOOTH ENTRY BUSH FOR SP10 + SN10



General Information

Extended Product Type	SP10/9/C
Product ID	7TCA296020R0024
EAN	5020963002991
Catalog Description	SMOOTH ENTRY BUSH FOR SP10 + SN10
Long Description	Nickel Plated Brass Smooth Entry Bushing, Nominal Conduit Size 10 Millimeters, Hole Size-.35

Additional Information

Application	For Locking Conduit Into Plain Holes in Enclosures
Product Type	Smooth Entry Bushing

Ordering

EAN	5020963002991
UPC	786210275390

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	1/4 Inch

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	10 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

Certificates and Declarations

Data Sheet, Technical Information	SP10/9/C
Instructions and Manuals	SP10/9/C
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121312

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.