PRODUCT-DETAILS

SP32/PG29/A

PG29 A FTTNG FOR SP32 STRT NP BRASS



General Information

Extended Product Type	SP32/PG29/A
Product ID	7TCA296020R0256
EAN	5020963003165
Catalog Description	PG29 A FTTNG FOR SP32 STRT NP BRASS
Long Description	1 Inch Nickel Plated Brass Straight Fitting with Fixed External Thread, PG Thread Size PG29

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with PG Threads

Ordering

EAN	5020963003165
UPC	786210275765

© 2024 ABB. All rights reserved.

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	1 Inch

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	2 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

Certificates and Declarations

Data Sheet, Technical Information	SP32/PG29/A
Instructions and Manuals	SP32/PG29/A
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

© 2024 ABB. All rights reserved.



© 2024 ABB. All rights reserved.