PRODUCT-DETAILS

TS1025HF

CABLE TIE 20LB NAT NYL 4IN FLM RET



General Information

Extended Product Type	TS1025HF
Product ID	7TCG054360R0062
EAN	5414363059912
Catalog Description	CABLE TIE 20LB NAT NYL 4IN FLM RET
Long Description	Flame Retardant Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Length 100mm (3.94 Inches), Width 2.5mm (0.098 Inches), Tensile Strength Rating of 90 Newtons (20 Pounds)

Ordering

EAN	5414363059912
UPC	786210499345
Country of Origin	Thailand (TH)
Selling Unit of Measure	each

Dimensions

Product Net Width	0.098 in

© 2024 ABB. All rights reserved.

	2.5 mm
Product Net Depth / Length	3.94 in 100 mm

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	0.01 in 0.25 mm
Package Level 1 Height	0.01 in 0.25 mm
Package Level 1 Depth / Length	0.01 in 0.25 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	0.01 in 0.25 mm
Package Level 2 Height	0.01 in 0.25 mm
Package Level 2 Depth / Length	0.01 in 0.25 mm

Technical UL/CSA

Flammability According to UL94	V-0

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.94 in 24 mm
Color	Natural
Effective Date	19980621
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Product Name	FLAME RETARDANT 100 X 2.5
Product Type	Flame Retardant
Tensile Strength	20 lb 90 N

Certificates and Declarations

Data Sheet, Technical Information	TS1025HF

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

© 2024 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties



© 2024 ABB. All rights reserved.