
Pound Shaper_short

Scheinwerfer | 176-264 V
1 arrayLED 27 W DC - 30 W AC | CRI 98
76052M66









Technische Daten	
Typ	Schiene
Installationsposition	Decke
Installationsumgebung	Indoor
Lichtquelle	LED
Circuit structure	arrayLED
Optik	Shaper Short Distance
Light emission direction	frontal
Lampe Nennleistung	27 W DC
Gesamtleistung	30 W
Lichtstrom (Lichtquelle)	4027 lm
Nominale Eingangsspannung	220 - 240 V AC
Eingangsspannungsbereich	176 - 264 V AC
Frequency	50 - 60 Hz
Ähnlichste Farbtemperatur / Tone	2700 K
Farbwiedergabeindex	98 Ra
Gleichstrom/Gleichspannung	AC
Isolierklasse	2
IP	IP20
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Einschließlich Driver	Driver
Leuchte dimmbar	DALI-2 - PUSH DIM
Schwenkbarkeit	Orientabile
Gesamtwinkel (vertikale Ebene)	90 °
Gesamtwinkel (horizontale Ebene)	360 °
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Typ Lichtabstrahlung	Einflammig
Nettogewicht	1.45 Kg
Schutz vor elektrostatischen Entladungen	Ja
Schutz vor Stoßspannungen	2 KV

Oberfläche Oberfläche Gehäuse	
Material	Stranggepresstes Aluminium EN AB - 46100
Farbe	Text white RAL9003
Bearbeitungstyp	Pulverbeschichtung mit duroplastischen Pulvern

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Scheinwerfer | 176-264 V | 1 arrayLED 27 W DC - 30 W AC | CRI 98
76052M66

Single emission projectors for indoor application. The super warm white LED light source with a shaper short distance light distribution is composed of 1 arrayled LEDs with CCT of 2700 K and a CRI 98; the source luminous flux is 4027 lm, with a 149.1 lm/W nominal luminous efficacy.

The device body is made of die-cast aluminium en ab - 46100 and features a text white ral9003 finish, processed by means of powder coating with thermosetting powders.

The ingress protection degree is IP20; the total weight is of 1.45 kg.

The total absorbed power is 30 W

The device features protection class II and can be ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.


Energieeffizienzklasse
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse E.


Illuminotechnical Eigenschaften	
Light Output Ratio (LOR)	17 %
Lichtstrom (Lichtquelle)	4027 lm
Leuchten Lichtstrom	685 lm
Consumption	30 W
Leuchten Lichtausbeute	22 lm/W
Farbtemperatur	2700 K
Standard Deviation of Colour Matching	2 Step MacAdam
Farbwiedergabeindex	98 Ra
Black Body Locus	On
Standardumgebungstemperatur	-20 / +50°C
Typische Temperatur am Glas	45°C


LED Life / Failure Ratio
L70 B10 C0 235315h (at Tj 65 Ta 25)
L80 B10 C0 147343h (at Tj 65 Ta 25)
L90 B10 C0 69745h (at Tj 65 Ta 25)


UGR	
UGR axial	-3.1
UGR transversal	-3.1
X=4H | Y=8H	S=0.25H
Reflection factor	70/50/20

OPTICAL	
Optik C0/C180	42°
Light distribution simmetry	Symmetrical









Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.


Pound Shaper_short | Projectors | Accessories
76052M66



Werkzeug - Gobo Haltezubehör
Material:Aluminium, farbe:Black, bearbeitungstyp :Eloxierung.

Code
99853






Schiene
Länge: 1000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text white RAL9003, bearbeitungstyp :Lackierung.

Code
83336






Schiene
Länge: 2000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text white RAL9003, bearbeitungstyp :Lackierung.


Code
83337






Schiene
Länge: 3000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text white RAL9003, bearbeitungstyp :Lackierung.


Code
83338






Schiene
Länge: 1000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text black RAL9005, bearbeitungstyp :Lackierung.


Code
83339






Schiene
Länge: 2000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text black RAL9005, bearbeitungstyp :Lackierung.

Code
83340






Schiene
Länge: 3000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text black RAL9005, bearbeitungstyp :Lackierung.

Code
83341






Schiene
Länge: 1000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text white RAL9003, bearbeitungstyp :Lackierung.

Code
80990

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Pound Shaper_short | Projectors | Accessories
76052M66






Schiene
Länge: 2000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text white RAL9003, bearbeitungstyp :Lackierung.

Code
80991






Schiene
Länge: 3000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text white RAL9003, bearbeitungstyp :Lackierung.

Code
80992






Schiene
Länge: 1000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text black RAL9005, bearbeitungstyp :Lackierung.

Code
80993






Schiene
Länge: 2000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text black RAL9005, bearbeitungstyp :Lackierung.

Code
80994






Schiene
Länge: 3000mm; Typ Schiene: Standard.
Material:Aluminium, farbe:Text black RAL9005, bearbeitungstyp :Lackierung.

Code
80995






Stromversorgung
Material:PC, farbe:Weiß.

Code
81033






Stromversorgung
Material:PC, farbe:Black.

Code
81034






Stromversorgung
Material:PC, farbe:Weiß.

Code
81036

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Pound Shaper_short | Projectors | Accessories
76052M66





Stromversorgung
Material:PC, farbe:Black.

Code
81037





Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81042





Kabelverbindung
Typ linear.
Material:PC, farbe:Black.

Code
81043





Kabelverbindung
Typ flexible curve.
Material:PC, farbe:Weiß.

Code
81066






Kabelverbindung
Typ flexible curve.
Material:PC, farbe:Black.

Code
81067






Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81051






Kabelverbindung
Typ linear.
Material:PC, farbe:Black.

Code
81052






Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81054

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Pound Shaper_short | Projectors | Accessories
76052M66





Kabelverbindung
Typ linear.
Material:PC, farbe:Black.

Code
81055




Endkappe
Material:PC, farbe:Weiß.


Code
80999



Endkappe
Material:PC, farbe:Black.

Code
81000






Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81039






Kabelverbindung
Typ linear.
Material:PC, farbe:Black.

Code
81040






Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81045






Kabelverbindung
Typ linear.
Material:PC, farbe:Black.

Code
81046






Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81048

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.


Pound Shaper_short | Projectors | Accessories
76052M66






Kabelverbindung
Typ linear.
Material:PC, farbe:Black.


Code
81049






Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81063






Kabelverbindung
Typ linear.
Material:PC, farbe:Black.

Code
81064






Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81057






Kabelverbindung
Typ linear.
Material:PC, farbe:Black.

Code
81058






Kabelverbindung
Typ linear.
Material:PC, farbe:Weiß.

Code
81060





Kabelverbindung
Typ linear.
Material:PC, farbe:Black.

Code
81061




Endkappe
Material:PC, farbe:Weiß.

Code
81002

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Pound Shaper_short | Projectors | Accessories
76052M66





Endkappe
Material:PC, farbe:Black.


Code
81003



Deckenrosette - Weißes Aufhängungsset 1,5 m + Halterung (9000-KIT5-1,5-W)
Einschließlich Driver: Nein.
Material:Kunststoff, farbe:Weiß.

Code
81012






Deckenrosette - Schwarzes Aufhängungsset 1,5 m + Halterung (9000-KIT5-1,5-B)
Einschließlich Driver: Nein.
Material:Kunststoff, farbe:Black.

Code
81014





Deckenrosette - Weißes Aufhängungsset 5 m + Halterung (9000-KIT5-5-W)
Einschließlich Driver: Nein.
Material:Kunststoff, farbe:Weiß.

Code
81013



Deckenrosette - Schwarzes Aufhängungsset 5 m + Halterung (9000-KIT5-5-B)
Einschließlich Driver: Nein.
Material:Kunststoff, farbe:Black.

Code
81015



Hängeleuchten
Material:Kunststoff, farbe:Weiß.

Code
81021



Hängeleuchten
Material:Kunststoff, farbe:Black.

Code
81022





Klammer
L=35mm, H=14mm, D=24mm.
Material:Aluminium, farbe:Polished aluminium.

Code
81086

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Pound Shaper_short | Projectors | Accessories
76052M66





Klammer
L=35mm, H=14mm, D=24mm.
Material:Aluminium, farbe:Weiß, bearbeitungstyp :Lackierung.

Code
81087





Klammer
L=35mm, H=14mm, D=24mm.
Material:Aluminium, farbe:Text black RAL9005, bearbeitungstyp :Lackierung.


Code
81088





Drahtabdeckung
Material:PC, farbe:Weiß.

Code
81069






Drahtabdeckung
Material:PC, farbe:Black.


Code
81070






Drahtabdeckung
Material:PC, farbe:Weiß.


Code
81075





Drahtabdeckung
Material:PC, farbe:Black.


Code
81076





Drahtabdeckung
Material:PC, farbe:Weiß.

Code
81081






Drahtabdeckung
Material:PC, farbe:Black.

Code
81082

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.


Pound Shaper_short | Projectors | Accessories
76052M66





Code
81091





Code
81093



Werkzeug - Schneidezange S?9000/T
Material:Gummi, farbe:Black.


Code
81005



Hängeleuchten
Material:Kunststoff, farbe:Weiß.

Code
81006





Hängeleuchten
Material:Kunststoff, farbe:Black.


Code
81008



Hängeleuchten
Material:Kunststoff, farbe:Weiß.

Code
81007





Hängeleuchten
Material:Kunststoff, farbe:Black.

Code
81009



Hängeleuchten
Material:Kunststoff, farbe:Weiß.

Code
81018

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.


Pound Shaper_short | Projectors | Accessories
76052M66



Hängeleuchten
Material:Kunststoff, farbe:Black.

Code
81019






Klammer
L=180mm, H=24mm, D=26mm.
Material:Aluminium, farbe:Anodised aluminium, bearbeitungstyp :Eloxierung.

Code
81024






Klammer
L=180mm, H=24mm, D=20mm.
Material:Aluminium, farbe:Weiß RAL 9010, bearbeitungstyp :Lackierung.

Code
81025





Klammer
L=180mm, H=24mm, D=20mm.
Material:Aluminium, farbe:Schwarz RAL 9005, bearbeitungstyp :Lackierung.


Code
81026





Drahtabdeckung
Material:PC, farbe:Weiß.


Code
81072






Drahtabdeckung
Material:PC, farbe:Black.


Code
81073






Drahtabdeckung
Material:PC, farbe:Weiß.

Code
81078





Drahtabdeckung
Material:PC, farbe:Black.

Code
81079

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Pound Shaper_short | Projectors | Accessories
76052M66

Drahtabdeckung
Material:Weiß.


Code
83249



Drahtabdeckung
Material:Schwarz, farbe:Black.

Code
83250






Endkappe
Material:Weiß.

Code
81084






Endkappe
Material:Schwarz, farbe:Black.


Code
81085





Code
81094





Code
81095

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.