
Ozner_25/10

Profile | Modular
98419






Technische Daten	
Typ	Profile
Installationsposition	Wand - Decke
Installationsumgebung	Indoor
Leuchtmittel inbegriffen	Nein
Glühdrahtprüfung	Nein
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Modularity	Modular

Oberfläche Oberfläche Gehäuse	
Material	Aluminium
Farbe	Aluminium
Bearbeitungstyp	Eloxierung

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.


Profile | Modular
98419

Components

Dropper RGB 60 LEDs/m - LED Strip | topLED 72 W DC 24 V | 14.4 W/m

Code
98025



Silicone_C Basic RGB 60 LEDs/m

Code
98033




Ribbon Basic 60 LEDs/m - LED Strip | topLED 24 W DC 24 V | 4.8 W/m | 570.2 Lm/m

Code
98012




Ribbon Basic 60 LEDs/m - LED Strip | topLED 24 W DC 24 V | 4.8 W/m | 540 Lm/m

Code
98011




Ribbon 120 LEDs/m - LED Strip | topLED 60 W DC 24 V | 12 W/m | 1367.8 Lm/m

Code
98077




Ribbon 120 LEDs/m - LED Strip | topLED 60 W DC 24 V | 12 W/m | 1236 Lm/m

Code
98078



Ribbon RGB 60 LEDs/m - LED Strip | topLED 72 W DC 24 V | 14.4 W/m

Code
98017



Silicone_C Hi-Flux 60 LEDs/m

Code
98042

Profile | Modular
98419

Components



Ribbon 240 LEDs/m - LED Strip | 1200 topLED 96 W DC 24 V | 19.2 W/m | 1689.8 Lm/m

Code
98083




Ribbon 240 LEDs/m - LED Strip | topLED 96 W DC 24 V | 19.2 W/m | 1537.8 Lm/m

Code
98084



Ribbon Basic 60 LEDs/m

Code
98556




Ribbon 120 LEDs/m

Code
98568




Ribbon 240 LEDs/m - LED Strip | topLED 96 W DC 24 V | 19.2 W/m | 1611.8 Lm/m

Code
98570

Dropper 120 LEDs/m - LED Strip | topLED 48 W DC 24 V | 9.6 W/m | 720 Lm/m

Code
98572

Dropper 120 LEDs/m - LED Strip | topLED 48 W DC 24 V | 9.6 W/m | 780 Lm/m

Code
98574





Ribbon Ribbon Plus 70 LEDs/m - LED Strip | topLED 16 W DC 24 V | 3.2 W/m | 394 Lm/m

Code
98635


Profile | Modular
98419

Components


Ribbon Plus 70 LEDs/m - LED Strip | topLED 16 W DC 24 V | 3.2 W/m | 428 Lm/m

Code
98636


Ribbon Plus 70 LEDs/m

Code
98637



Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip | topLED 63 W DC 24 V | 12.6 W/m | 1475 Lm/m

Code
98638


Ribbon Plus Hi-Flux 70 LEDs/m

Code
98639



Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip | topLED 63 W DC 24 V | 12.6 W/m | 1710 Lm/m

Code
98640


Ribbon Plus 140 LEDs/m - LED Strip | topLED 36 W DC 24 V | 7.2 W/m | 823 Lm/m

Code
98945




Ribbon Plus 140 LEDs/m - LED Strip | topLED 36 W DC 24 V | 7.2 W/m | 880 Lm/m

Code
98946





Ribbon Plus 140 LEDs/m

Code
98948


Profile | Modular
98419

Components




PU_C Plus 70 LEDs/m - LED Strip | topLED 16 W DC 24 V | 3.2 W/m | 299 Lm/m

Code
98774




PU_C Plus 70 LEDs/m

Code
98775




PU_C Plus 70 LEDs/m - LED Strip | topLED 16 W DC 24 V | 3.2 W/m | 325 Lm/m

Code
98776



PU_C Plus Hi-Flux 70 LEDs/m

Code
98777



PU_C Plus Hi-Flux 70 LEDs/m

Code
98779




Ribbon Plus RGBW

Code
99670



Ribbon Plus WT 70+70 LEDs/m

Code
99671



Ribbon Plus Dynamic White 70+70 LEDs/m

Code
99672

Profile | Modular
98419

Components



Dropper Basic 60 LEDs/m - LED Strip | stripLED 25 W DC 24 V | 5 W/m | 539.8 Lm/m

Code
99592




Dropper Basic 60 LEDs/m - LED Strip | stripLED 25 W DC 24 V | 5 W/m | 529.8 Lm/m

Code
99588




Dropper Basic 60 LEDs/m - LED Strip | stripLED 25 W DC 24 V | 5 W/m | 549.8 Lm/m

Code
99590


Dropper Hi-Flux 60 LEDs/m - LED Strip | stripLED 60 W DC 24 V | 12 W/m | 1044 Lm/m

Code
99628

Dropper Hi-Flux 60 LEDs/m - LED Strip | stripLED 60 W DC 24 V | 12 W/m | 1068.6 Lm/m

Code
99632


Dropper Hi-Flux 60 LEDs/m - LED Strip | stripLED 60 W DC 24 V | 12 W/m | 1151.8 Lm/m

Code
99630




Silicone_C Hi-Flux 60 LEDs/m - LED Strip | topLED 60 W DC 24 V | 12 W/m | 1127.8 Lm/m

Code
99622


Silicone_C Hi-Flux 60 LEDs/m - LED Strip | topLED 60 W DC 24 V | 12 W/m | 1212.4 Lm/m

Code
99620

Ozner_25/10


Profile | Modular
98419

Components


Silicone_C Basic 60 LEDs/m

Code
99598


Silicone_C Basic 60 LEDs/m - LED Strip | topLED 25 W DC 24 V | 5 W/m | 524.6 Lm/m

Code
99602


Silicone_C Basic 60 LEDs/m - LED Strip | topLED 25 W DC 24 V | 5 W/m | 529.8 Lm/m

Code
99600




Ribbon Hi-Flux 60 Leds/m - LED Strip | 300 topLED 60 W DC 24 V | 12 W/m | 1163.8 Lm/m

Code
99608




Ribbon Hi-Flux 60 Leds/m - LED Strip | 300 topLED 60 W DC 24 V | 12 W/m | 1176.4 Lm/m

Code
99612




Ribbon Hi-Flux 60 Leds/m - LED Strip | 300 topLED 60 W DC 24 V | 12 W/m | 1223.8 Lm/m

Code
99610



Silicone_C 120 LEDs/m

Code
62403




Silicone_C 120 LEDs/m - LED Strip | topLED 72 W DC 24 V | 14.4 W/m | 1435 Lm/m

Code
62403N


Profile | Modular
98419

Components




Ribbon Plus 140 Hi-flux LEDs/m

Code
81956




Ribbon Plus 140 Hi-flux LEDs/m - LED Strip | 700 topLED 125 W DC 24 V | 25 W/m | 2410 Lm/m

Code
81957




Ribbon Plus 140 Hi-flux LEDs/m

Code
81958




PU_C Plus 140 LEDs/m - LED Strip | topLED 36 W DC 24 V | 7.2 W/m | 690 Lm/m

Code
81959




PU_C Plus 140 LEDs/m - LED Strip | topLED 36 W DC 24 V | 7.2 W/m | 923 Lm/m

Code
81960




PU_C Plus 140 LEDs/m - LED Strip | topLED 36 W DC 24 V | 7.2 W/m | 755 Lm/m

Code
81961



PU_C Plus 140 Hi-Flux LEDs/m

Code
81964




PU_C Plus 140 Hi-Flux LEDs/m - LED Strip | topLED 125 W DC 24 V | 25 W/m | 1800 Lm/m

Code
81962

Profile | Modular
98419

Components






PU_C Plus 140 Hi-Flux LEDs/m - LED Strip | topLED 125 W DC 24 V | 25 W/m | 1910 Lm/m


Code
81963






PU_C RGBW 60 LEDs/m - LED Strip | topLED 98 W DC 24 V | 19.6 W/m

Code
81965




Ribbon 120 LEDs/m - LED Strip | topLED 48 W DC 24 V | 9.6 W/m | 1074.8 Lm/m

Code
83657




Ribbon 120 LEDs/m - LED Strip | topLED 48 W DC 24 V | 9.6 W/m | 1056 Lm/m

Code
83659




Ribbon 120 LEDs/m

Code
83658



Ribbon Hi-Flux 150 LEDs/m

Code
84195



Ribbon Hi-Flux 150 LEDs/m - LED Strip | topLED 200 W DC - 200 W AC | 20 W/m | 1878 Lm/m

Code
84196




Ribbon RGBW 54 LEDs/m - LED Strip | 270 topLED 67.5 W DC 48 V | 13.5 W/m

Code
84197

Profile | Modular
98419

Components





Ribbon RGBW 54 LEDs/m - LED Strip | topLED 67.5 W DC 48 V | 13.5 W/m

Code
84198



Ribbon Slim 120 LEDs/m - LED Strip | topLED 42 W DC 24 V | 8.4 W/m | 730 Lm/m

Code
84219



Ribbon Slim 120 LEDs/m - LED Strip | topLED 42 W DC 24 V | 8.4 W/m | 770 Lm/m

Code
84220



Ribbon Slim 120 LEDs/m - LED Strip | topLED 42 W DC 24 V | 8.4 W/m | 800 Lm/m

Code
84221


Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ozner_25/10 | Profiles | Accessories
98419



Blendschutz
Blendschutzart: palpebra.
Material:Aluminiumlegierung 6060, farbe:Anodised aluminium, bearbeitungstyp :Anodisierung 20 µm.

Code
98778



Diffusor
Diffusorart: opalen diffusor.
Material:PC, farbe:Opal.


Code
98395






Endkappe

Code
98418





Federn für den Einbau - 5 Stück

Code
98420

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.