
Ribbon Plus 140 LEDs/m

LED Strip | topLED 36 W DC 24 V | 7.2 W/m
823 Lm/m | CRI 85
98945







Technische Daten	
Länge	5000 mm
Minimaler Schnitt	50 mm
Typ	LED Strip
Installationsposition	Wand - Decke
Installationsumgebung	Indoor
Lichtquelle	LED
Circuit structure	topLED
Optik	Diffuses
Light emission direction	downward
Lampe Nennleistung	36 W DC
Lampenleistung / m	7.2 W / m
Lichtstrom (Lichtquelle)	4115 lm
Lichtstrom (Lichtquelle) / m	823 lm / m
Ähnlichste Farbtemperatur / Tone	2700 K
Farbwiedergabeindex	85 Ra
Gleichstrom/Gleichspannung	CV
Isolierklasse	3
IP	IP20
Glühdrahtprüfung	650°
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Einschließlich Driver	Nein
Leuchte dimmbar	DALI - 1-10V
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Ja
Kabellänge	0.3 m
Harzbeschichtung	Nein
Typ Lichtabstrahlung	Einflammig
Nettogewicht	0.125 Kg
Schutz vor elektrostatischen Entladungen	Nein
Schutz vor Stoßspannungen	Nein

Oberfläche Oberfläche Gehäuse	
Material	Technopolymer
Farbe	Weiß

Elektronik



99331
On/Off Driver 198~264V AC / 176~275V DC 150 W (1 - 4 art.)



99332
1-10V Controller (1 - 4 art.)



99374
On/Off Driver 198~264V AC / 176~275V DC 75 W (1 - 2 art.)



99787
DALI Controller 100~305V AC / 142~431V DC 240 W (1 - 6 art.)



83062
DALI - Push and Simply Dim Controller 198~264V AC / V DC (1 - 4 art.)

Cables Electrification	
Max. Kabellänge	300 mm

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

LED Strip | topLED 36 W DC 24 V | 7.2 W/m | 823 Lm/m | CRI 85
98945

Single emission led strip for indoor application. The super warm white LED light source with a diffused light distribution is composed of 700 topled LEDs with CCT of 2700 K and a CRI 85; the source luminous flux is 4115 lm, with a 114.3 lm/W nominal luminous efficacy.


The device body is made of technopolymer and features a white finish.


The ingress protection degree is IP20; the total weight is of 0.125 kg. The power supply driver is not provided and is to be ordered separately.

The total absorbed power is 36 W The power supply cable is included and features a 0.3 m length.

The device features protection class III and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.





Energieeffizienzklasse
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F.

Illuminotechnical Eigenschaften	
Light Output Ratio (LOR)	100 %
Lichtstrom (Lichtquelle)	4115 lm
Leuchten Lichtstrom	4115 lm
Consumption	36 W
Leuchten Lichtausbeute	114 lm/W
Farbtemperatur	2700 K
Standard Deviation of Colour Matching	3 Step MacAdam
Farbwiedergabeindex	85 Ra
Verbindungstemperatur (Leuchte)	80
Standardumgebungstemperatur	25°C

LED Life / Failure Ratio
L70 B20 C0 72500h (at Tj 115 Ta 25)

UGR	
UGR axial	27.4
UGR transversal	29.4
X=4H | Y=8H	S=0.25H
Reflection factor	70/50/20

OPTICAL	
Optik C90/C270	113°
Optik C0/C180	131°
Light distribution simmetry	Symmetrical 2 assis

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m

LED Strip | topLED 36 W DC 24 V | 7.2 W/m | 823 Lm/m | CRI 85
98945

Components





Rive_17/16

Code
99905 - 98893 - 83130






Vojo

Code
98891 - 83129 - 98954 - 84446 - 99983






LUNO_20/27

Code
83137 - 98929






Ghost_64/14

Code
98906






Armita_58/15

Code
98916






Ozner_25/10

Code
98419






Cela_18/18

Code
98903 - 83131






Svik_00/00

Code
98956

LED Strip | topLED 36 W DC 24 V | 7.2 W/m | 823 Lm/m | CRI 85
98945

Components






Sageto_24/08

Code
98895 - 98965






Roko_33/15

Code
98897






Papilio_41/41


Code
98919





Tabulo_35/14

Code
98921







Suo_56/10

Code
98937

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.


Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945





Federn für den Einbau - 5 Stück

Code
98420



Diffusor
Diffusorart: opalen diffusor.
Material:PC, farbe:Opal.

Code
98395





Diffusor

Code
98941





Diffusor

Code
98942





Diffusor - Opalen Diffusor

Code
98943



Diffusor

Code
98934





Diffusor

Code
98930





Diffusor

Code
98898

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945



Diffusor

Code
98899



Diffusor


Code
98900





Diffusor

Code
98917





Diffusor

Code
98938





Diffusor

Code
98925





Diffusor
Material:PC, farbe:Black.

Code
83132






Diffusor
Material:PC, farbe:Black.

Code
83138





Diffusor
Material:PC, farbe:Black.

Code
83183

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945






Endkappe

Code
98418






Endkappe - Verschlusskappe
Material:PC, farbe:Weiß.

Code
98892






Endkappe
Material:PC, farbe:Grau.

Code
98894






Endkappe

Code
98928






Endkappe
Material:PC, farbe:Weiß.

Code
98936






Endkappe
Material:PC, farbe:Opal.


Code
98932






Endkappe
Material:PC, farbe:Grau.

Code
98905





Endkappe

Code
98896

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945






Endkappe

Code
98902






Endkappe
Material:Aluminium, farbe:Polished aluminium.

Code
98907






Endkappe
Material:PC, farbe:Weiß.

Code
98922





Endkappe
Material:PC, farbe:Weiß.

Code
98920






Endkappe
Material:PC, farbe:Weiß.

Code
98940





Endkappe
Material:PC, farbe:Weiß.


Code
98918



Endkappe
Material:PC, farbe:Black.

Code
83133





Endkappe
Material:PC, farbe:Black.

Code
83135

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945






Endkappe
Material:PC, farbe:Black.

Code
83136






Endkappe
Material:PC, farbe:Black.

Code
83139






Endkappe
Material:PC, farbe:Black.

Code
83184






Klammer - Montagehalterung
L=19mm, H=8mm, D=9mm.
Material:Eisen, farbe:Zink, bearbeitungstyp :Waschen.

Code
98944






Klammer
L=9mm, H=8.8mm, D=21.8mm.
Material:Eisen, farbe:poliert, bearbeitungstyp :Waschen.

Code
98931






Klammer
L=22mm, H=21.5mm, D=16.4mm.
Material:PC, farbe:Transparent.

Code
98904






Klammer
L=8mm, H=9mm, D=19mm.
Material:Eisen, farbe:poliert, bearbeitungstyp :Waschen.

Code
98939






Klammer
L=12mm, H=15mm, D=30mm.
Material:PC, farbe:Weiß.

Code
98901

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945





Profil - Bodenprofil
Material:Aluminiumlegierung 6060, farbe:Anodised aluminium, bearbeitungstyp :Anodisierung 20 µm.

Code
xx98937





Profil - Komplettset: 10x Eloxiertes Aluminiumprofil + 10x Opal-Diffusor
Material:Aluminium, farbe:Anodised aluminium, bearbeitungstyp :Eloxierung.

Code
98955






Profil - 10 x Kühlkörper
Material:Aluminiumlegierung 6060, farbe:Anodised aluminium, bearbeitungstyp :Anodisierung 20 µm.

Code
99999






Befestigungssatz - Aluminium-Profil + schwarze Profilabdeckung + Kunststoffkappen-Bausatz 2 Stück schwarz + 5 Metallbügel-Bausatz + 5 Schrauben

Code
84448






Befestigungssatz - schwarzes Aluminiumprofil + schwarze opale Profilabdeckung + 2 schwarze Kunststoffkappen + 5 Metallbügel + 5 Schrauben

Code
84450






Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappe 2 St. weiß + Satz 5 Metallwinkel + 5 Schrauben

Code
84452






Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappe 2 St. weiß + Satz 5 Metallwinkel + 5 Schrauben

Code
84453






Befestigungssatz - schwarzes Aluminiumprofil + schwarze opale Profilabdeckung + 2 schwarze Kunststoffkappen + 5 Metallbügel + 5 Schrauben

Code
84454


Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945


Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappe 2 St. weiß + Satz 5 Metallwinkel + 5 Schrauben

Code
99905


Befestigungssatz - Aluminiumprofil + schwarze Profilabdeckung + Kunststoffkappen-Bausatz 2 Stück schwarz + Bausatz mit 5 Kunststoffwinkeln + 5 Schrauben

Code
84456



Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappen-Bausatz 2 St. weiß + Bausatz 5 Kunststoffbügel + 5 Schrauben

Code
99910


Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappen-Bausatz 2 St. weiß + Bausatz 5 Kunststoffbügel + 5 Schrauben

Code
99908


Befestigungssatz - Aluminium-Profil + opale Profilabdeckung + Aluminium-Kappen-Set 2 Stück weiß

Code
99989

Befestigungssatz - 10 x Aluminiumprofil + 10 x Profilabdeckung schwarz St.

Code
84447

Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99907




Befestigungssatz - 10 x Aluminiumprofil + 10 x Profilabdeckung schwarz St.

Code
84449

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945





Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99906





Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99984


Befestigungssatz - 10 x Aluprofil schwarz + 10 x Opal PC Profilabdeckung schwarz

Code
84451


Befestigungssatz - 10 x Aluprofil schwarz + 10 x Opal PC Profilabdeckung schwarz

Code
84455


Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99986


Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99988

Befestigungssatz - 10 x Aluminiumprofil + 10 x Profilabdeckung schwarz St.

Code
84457

Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99911

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Plus 140 LEDs/m | LED Strip | Accessories
98945





Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code

83006

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.