
Wandleuchten - Tischleuchten | 230-240 V
32 topLED 7 W DC - 8 W AC | CRI 90
CZ003IBEWDI







Technische Daten	
Designer	Shigeaki Asahara
Jahr der Verwirklichung	2025
Typ	Wandleuchten - Tischleuchten
Installationsposition	Wand - Boden
Installationsumgebung	Indoor
Lichtquelle	LED
Circuit structure	topLED
Optik	Diffuses
Light emission direction	downward
Lampe Nennleistung	7 W DC
Gesamtleistung	8 W
Lichtstrom (Lichtquelle)	1013 lm
Nominale Eingangsspannung	220 - 240 V AC
Eingangsspannungsbereich	230 - 240 V AC
Frequency	50 - 60 Hz
Ähnlichste Farbtemperatur / Tone	3000 K
Farbwiedergabeindex	90 Ra
Gleichstrom/Gleichspannung	AC
Isolierklasse	2
IP	IP20
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Einschließlich Driver	Driver
Leuchte dimmbar	Touch
Schwenkbarkeit	Orientabile
Gesamtwinkel (vertikale Ebene)	0 °
Gesamtwinkel (horizontale Ebene)	320 °
Drehbarkeit	Ja
Gesamtwinkel (horizontale Ebene)	0 °
Gesamtwinkel (vertikale Ebene)	220 °
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Ja
Steckdose	Type C
Kabellänge	2.7 m
Harzbeschichtung	Nein
Typ Lichtabstrahlung	Einflammig
Nettogewicht	0.725 Kg
Schutz vor elektrostatischen Entladungen	Nein
Schutz vor Stoßspannungen	Nein

Oberfläche Oberfläche Gehäuse	
Material	Aluminium
Farbe	Text peach (R3012)
Bearbeitungstyp	Lackierung

Oberfläche Oberfläche diffusor	
Material	PC
Farbe	Opal

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Wandleuchten - Tischleuchten | 230-240 V | 32 topLED 7 W DC - 8 W AC | CRI 90
CZ003IBEWDI

Single emission wall lights or table lamps for indoor application. The warm white LED light source with a diffused light distribution is composed of 32 topled LEDs with CCT of 3000 K and a CRI 90; the source luminous flux is 1013 lm, with a 144.7 lm/W nominal luminous efficacy.

The device body is made of aluminium and features a text peach (r3012) finish, processed by means of coating; the diffuser is made of PC.

The ingress protection degree is IP20; the total weight is of 0.725 kg.

The total absorbed power is 8 W The power supply cable is included and features a 2.7 m length.

The device features protection class II and can be wall lights or floor-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.


Energieeffizienzklasse
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse E.


Illuminotechnical Eigenschaften	
Light Output Ratio (LOR)	78 %
Lichtstrom (Lichtquelle)	1013 lm
Leuchten Lichtstrom	796 lm
Consumption	8 W
Leuchten Lichtausbeute	99 lm/W
Farbtemperatur	3000 K
Standard Deviation of Colour Matching	3 Step MacAdam
Farbwiedergabeindex	90 Ra
Verbindungstemperatur (Leuchte)	80
Standardumgebungstemperatur	25°C

LED Life / Failure Ratio
L70 B10 C0 102000h (at Tj 115 Ta 25)
L90 B10 C0 55000h

UGR	
UGR axial	28
UGR transversal	28.3
X=4H | Y=8H	S=0.25H
Reflection factor	70/50/20

OPTICAL	
Optik C0/C180	114°
Light distribution simmetry	Symmetrical






Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

STILNOVO

Torino


Wandleuchten - Tischleuchten | 230-240 V | 32 topLED 7 W DC - 8 W AC | CRI 90
CZ003IBEWDI

Components




Torino - Base

Code
CZ004RWHEZZ


Torino - Base

Code
CZ004RBBEZZ




Torino - Base

Code
CZ004RMGEZZ




Torino - Base

Code
CZ004RLUEZZ


Torino - Base

Code
CZ004RGBEZZ


Torino - Base

Code
CZ004RBEEZZ

Torino - Morsetto

Code
CZ005RBBEZZ

Torino - Morsetto


Code
CZ005RLUEZZ

STILNOVO

Torino


Wandleuchten - Tischleuchten | 230-240 V | 32 topLED 7 W DC - 8 W AC | CRI 90
CZ003IBEWDI

Components




Torino - Morsetto

Code
CZ005RGBEZZ




Torino - Morsetto

Code
CZ005RMGEZZ




Torino - Morsetto

Code
CZ005RBEEZZ




Torino - Morsetto

Code
CZ005RWHEZZ




Torino - Staffa Applique

Code
CZ006RBBEZZ




Torino - Staffa Applique

Code
CZ006RLUEZZ



Torino - Staffa Applique

Code
CZ006RGBEZZ




Torino - Staffa Applique

Code
CZ006RMGEZZ


Wandleuchten - Tischleuchten | 230-240 V | 32 topLED 7 W DC - 8 W AC | CRI 90
CZ003IBEWDI

Components



Torino - Staffa Applique

Code
CZ006RBEEZZ



Torino - Staffa Applique

Code
CZ006RWHEZZ

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.