Supporting black cable - 50m

Systeme
TR4153-50



Technische Daten	
Installationsposition	Decke
Installationsumgebung	Indoor
Leuchtmittel inbegriffen	Nein
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Nettogewicht	3.950 Kg


Oberfläche Oberfläche Gehäuse	
Material	Stahl
Farbe	Black

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Systeme
TR4153-50

Components






Eta-C30

Code

9920 - 9919 - 9916 - 9917 - 9918 - 9921 - 9916M - 9919M - 9917M - 9920M - 9918M - 9921M - 9916N - 9919N - 9917N - 9920N - 9918N - 9921N






Iota-C30_3

Code

9866 - 9865 - 9865M - 9866M - 9865N - 9866N






Iota-C30_2

Code

9864 - 9863 - 9863M - 9864M - 9863N - 9864N






Iota-C30_1

Code

9862 - 9861 - 9861M - 9862M - 9861N - 9862N






Iota-C

Code

9859 - 9857 - 9855 - 9855M - 9856M - 9855N - 9856N - 9857M - 9858M - 9857N - 9858N - 9859M - 9860M - 9859N - 9860N - 9856 - 9858 - 9860






Matrix-C30

Code

54284 - 54285






Andromeda-C_1

Code

TR4304-5 - TR4304-6 - TR4304-4R





Vega-C30_2


Code

TR4014-4 - TR4014-5

Supporting black cable - 50m


Systeme
TR4153-50

Components


Trix-C30_2

Code
8427 - 8428 - 8433


Beebo_W-C30

Code
8442 - 8443 - 8444


Circular

Code
8445 - 8446 - 8447




Oh!-C1

Code
10115 - 10116


Trix-C

Code
8430 - 8429 - 8431




Outlook-C

Code
8422

Eta-C

Code
9869 - 9868 - 9867 - 9870 - 9871 - 9872 - 9867M - 9870M - 9868M - 9871M - 9869M - 9872M - 9867N - 9870N - 9868N - 9871N - 9869N - 9872N





Trix-C30_1

Code
8426 - 8432 - 8425

Systeme
TR4153-50


Components



Oh!-C2_280


Code
12140





Oh!-C30_380


Code
12145



Oh!-C30_280

Code
12142






Vega-C30_1

Code
TR4000-5 - TR4000-4






Polo-C_660


Code
9166





Polo-C_960

Code
9167



Tu-V-C

Code
8650

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.