
Andromeda-C_1

Systeme | 220-240 V | 1xGU10
TR4304-5







Technische Daten	
Typ	Systeme
Installationsposition	Decke
Installationsumgebung	Indoor
Leuchtmittel inbegriffen	Nein
Anschluss der Leuchte	1 x GU10
Optik	Diffuses
Isolierklasse	2
IP	IP20
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Orientabile
Gesamtwinkel (vertikale Ebene)	90 °
Gesamtwinkel (horizontale Ebene)	350 °
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Nettogewicht	0.10 Kg

Oberfläche Oberfläche Gehäuse	
Material	Eisen
Farbe	Text brilliant grey RAL 9006
Bearbeitungstyp	Lackierung

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Systeme | 220-240 V | 1xGU10
TR4304-5

Single emission systems for indoor application. Compatibility: LED lamp; lamp cap 1xGU10.

The device body is made of iron and features a text brilliant grey ral 9006 finish, processed by means of coating.

The ingress protection degree is IP20; the total weight is of 0.10 kg.

The device features protection class II and can be ceiling-mounted.


Compliant with the EN 60598-1 standard and its specific provisions.

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Andromeda-C_1


Systeme | 220-240 V | 1xGU10
TR4304-5

Components


Mono System Accessories

Code
TR4111-4


Mono System Accessories

Code
TR4111-5

Mono System Accessories

Code
TR4114-4

Mono System Accessories - Sistemi

Code
TR4114-5




Mono System Accessories

Code
TR4119-4




Mono System Accessories

Code
TR4119-5




Mono System Accessories - Sistemi

Code
TR4120-3

Supporting cable - 50m - Sistemi

Code
TR4151-50

Systeme | 220-240 V | 1xGU10
TR4304-5

Components

Supporting cable - 30m - Sistemi

Code
TR4151-30

Supporting cable - 20m - Sistemi

Code
TR4151-20



Supporting cable - 10m - Sistemi


Code
TR4151-10



Supporting cable - 5m - Sistemi

Code
TR4151-5






Mono System Accessories - Sistemi

Code
TR4117-4R






Mono System Accessories - Sistemi

Code
TR4117-5






Mono System Accessories

Code
8706






Mono System Accessories

Code
8711

Andromeda-C_1


Systeme | 220-240 V | 1xGU10
TR4304-5

Components


Mono System Accessories

Code
8712


Mono System Accessories - Sistemi

Code
9853


Mono System Accessories - Sistemi

Code
9854


Mono System Accessories

Code
TR4111-6


Mono System Accessories

Code
8713

Mono System Accessories - Sistemi

Code
TR4114-6

Mono System Accessories

Code
TR4117-6




Mono System Accessories

Code
TR4119-6

Andromeda-C_1

Systeme | 220-240 V | 1xGU10
TR4304-5

Components



Supporting black cable - 5m

Code
TR4153-5



Supporting black cable - 10m - Sistemi

Code
TR4153-10



Supporting black cable - 20m - Sistemi

Code
TR4153-20



Supporting black cable - 30m - Sistemi


Code
TR4153-30



Supporting black cable - 50m - Sistemi

Code
TR4153-50






150 System Accessories - Sistemi

Code
8720






Mono System Accessories - Sistemi

Code
8704





Mono System Accessories

Code
8705

Systeme | 220-240 V | 1xGU10
TR4304-5

Components

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.