

SICOMtape Neon 10x10 TOP 10W 3000K IP67 - 5m

561010TOP3067





24 V	790 lm/m	5 m	>90 CRI	150 mm
Lamp Voltage	Luminous flux	Max.module lenght	CRI	Bending Diameter

DESCRIZIONE

SICOMtape Neon 10x10 TOP 10W 3000K IP67 - 5m
1-Side emitting.
IP67 protection, UV resistant.



ONE BIN ONLY
Color consistency
Today and tomorrow

>90 CRI | IP 67 | UL* | CE | UV PROTECTION | RESISTANT TO SOLVENT | RoHS

*On request

SICOM S.R.L.
Via Austria 15/A - 35127 - PADOVA - ITALY - Tel: +39 049 8701470 - Fax: +39 049 8700738
sicom@sicom-pd.it - www.sicom-pd.it

SICOMtape Neon 10x10 TOP 10W 3000K IP67 - 5m

561010TOP3067

MECHANICAL DATA

Width (mm)	10
Height (mm)	10
Lenght (mm)	5000
Degree of protection (IP)	IP67
Lenght of particular segments (mm)	50

ELECTRICAL DATA

Efficiency (lm/W)	790
Lamp power per meter (W)	10
Lamp voltage (V)	24
Voltage range	23,5 - 24,5 Vdc

LIGHT TECHNICAL DATA

Luminous flux (lm/m)	790
Beam angle (°)	120
Binning tolerance	3 SDCM
CRI (Ra)	>90
Colour temperature (K)	3000

CONNECTION

Connection number	-
Max, module lenght (mm)	5000

TEMPERATURE DATA


Lifetime (h)	45000
Ambient temperature (˚C)	-25...+45
Storage temperature (˚C)	-25...+45
Operating temperature (˚C)	-25...+45

SICOMtape Neon 10x10 TOP 10W 3000K IP67 - 5m

561010TOP3067

Information about the electrical and lighting technology measurements: Performance data measured after 1 min. at 25˚C ambient temperature and a light colour of 4.000 K (or RGB). These values can have a tolerance value of -/+ 10% (or -/+15%at ECO/TWO/RGB/AIR).
Module lenght at 24V input voltage at the module and luminous flux drop 10% over the specified lenght.

ACCESSORI INCLUSI

Figura	Descrizione
	10 Staffe di fissaggio con apposite viti 2 Tappi di chiusura 1 Tubetto di silicone

ACCESSORI NON INCLUSI





Figura	Codice	Descrizione	❒ L x B x H mm
		**PROFILO IN ALLUMINIO**	
	56101001	SICOMtape Neon 10x10 Profilo alluminio	1000 x 12,4 x 13
		PROFILO IN POLICARBONATO	
	56101002	SICOMtape Neon 10x10 Profilo in policarbonato	1000 x 12,9 x 12,8

Figura	Codice	Descrizione	❒ L x B x H mm
Tappo con cavo Front		**SICOMtape Neon Front**	
	**56101007**	SICOMtape Neon 10x10 Tappo Front	12,3 x 12,3 x 11
Tappo con cavo Side		**SICOMtape Neon Side**	
	**56101008-DX**	SICOMtape Neon 10x10 Tappo Side Dx	12 x 20 x 12
	56101008-SX	SICOMtape Neon 10x10 Tappo Side Sx	12 x 20 x 12
Tappo con cavo Bottom		**SICOMtape Neon Bottom**	
	**560101009**	SICOMtape Neon 10x10 Tappo Bottom	12 x 20 x 12

SAFETY INFORMATION:
Read the safety and installation instructions carefully and completely before commisioning.
For more information please contact sicom@sicom-pd.it.

DISCALIMER OF WARRANTY:
The technical information corresponds to the status at the time of printing and have been worked out to the best of our knoledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of data sheets.