
SIEMENS

Foglio dati 3RW5952-0SJ06



modulo semiconduttori di potenza 690 V, per 3RW55, 93 A

denominazione del prodotto	Modulo di potenza a semiconduttore
esecuzione del prodotto	690 V, 93 A
designazione del tipo di prodotto	3RW59
n. di articolo del produttore del softstarter	
•	3RW5527-.HA.6 (3x)
Dati tecnici generali	
Direttiva RoHS (data)	02/15/2018
SVHC substance name	Lead CAS-No. 7439-92-1 Diboron trioxide CAS-No. 1303-86-2
Peso netto per UQ	0,17 kg
Condizioni ambientali	
temperatura ambiente durante l'immagazzinaggio	-40 ... +80 °C

Approvazioni Certificati

Environment	General Product Approval			EMV
Environmental Confirmations				

For use in hazardous locations	Test Certificates	Maritime application			
Miscellaneous	Type Test Certificates/Test Report	ABS	DNV	LRS	PRS

other		
	Confirmation	Confirmation

Ulteriori informazioni

Informazioni sull'imballaggio

Con riserva di modifiche
© Copyright Siemens

https://support.industry.siemens.com/cs/ww/it/view/109813875

Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012

Information- and Downloadcenter (Cataloghi, Opuscoli,…)
https://www.siemens.com/ic10

Industry Mall (sistema di ordinazione Online)
https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=3RW5952-0SJ06

Service&Support (Manuali, Certificati, Caratteristiche, FAQ, …)
https://support.industry.siemens.com/cs/ww/it/ps/3RW5952-0SJ06

Banca dati immagini (foto prodotto, disegni dimensionali 2D, modelli 3D, schemi delle connessioni, macro EPLAN…)
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5952-0SJ06&lang=en

Generatore CAx online
https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5952-0SJ06

Curve caratteristiche
https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod__no>

Caratteristica: Comportamento di sgancio, I²t, Corrente di interruzione limitata
https://support.industry.siemens.com/cs/ww/en/ps/3RW5952-0SJ06/char

Curve caratteristiche: Altitudine di installazione
https://www.automation.siemens.com/bilddb/index.aspx?gridview=view2&objkey=G_NSB0_XX_01704&showdetail=true&view=Search

Simulation Tool for Soft Starters (STS)
https://support.industry.siemens.com/cs/ww/en/view/101494917

Ultima modifica: 02/04/2025

© Copyright Siemens

Con riserva di modifiche
© Copyright Siemens