
SIEMENS

Foglio dati 8MF1048-2UB32-0



SIVACON, base, con ingresso cavi, IPXX, P: 800 mm, L: 400 mm, zincato

Versione	
marca del prodotto	SIVACON
denominazione del prodotto	Pavimento
esecuzione del prodotto	con ingresso cavi
esecuzione della superficie	zincato
esecuzione del prodotto esecuzione eMC	No
materiale	acciaio
grado di protezione IP	IPXX
parte integrante del prodotto	
● aerazione	No
Progettazione meccanica	
larghezza	400 mm
profondità	800 mm
Peso netto per UQ	3,9 kg

Approvazioni Certificati

Environment	General Product Approval	Test Certificates
Environmental Confirmations		Special Test Certificate


other		
Miscellaneous	Miscellaneous	Confirmation

Ulteriori informazioni

Informazioni sull'imballaggio
https://support.industry.siemens.com/cs/ww/it/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Cataloghi, Opuscoli,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (sistema di ordinazione Online)
https://mall.industry.siemens.com/mall/it/it/Catalog/product?mlfb=8MF1048-2UB32-0

Con riserva di modifiche
© Copyright Siemens

Service&Support (Manuali, Certificati, Caratteristiche, FAQ, …)
https://support.industry.siemens.com/cs/ww/it/ps/8MF1048-2UB32-0
Banca dati immagini (foto prodotto, disegni dimensionali 2D, modelli 3D, schemi delle connessioni, …)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1048-2UB32-0
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Curve caratteristiche
https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod__no>



Ultima modifica: 22/08/2025

© Copyright Siemens

Con riserva di modifiche
© Copyright Siemens